

**Notice of Allowability**

Application No.

10/019,510

Examiner

Brian S. Kwon

Applicant(s)

KAMMEIJER ET AL.

Art Unit

1614

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 10/23/2005.
2. ☒ The allowed claim(s) is/are 23 and 24.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some\* c) ☐ None of the:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
- (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
- 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
- (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date \_\_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☒ Interview Summary (PTO-413), Paper No./Mail Date 11252005.
7. ☒ Examiner's Amendment/Comment
8. ☐ Examiner's Statement of Reasons for Allowance
9. ☒ Other See Continuation Sheet.

  
CHRISTOPHER S. F. LOW  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 1600

Continuation of Attachment(s) 9. Other: Drawing filed 12/21/01 accepted.

### EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Robert D. Katz on November 28, 2005.

The application has been amended as follows:

In Claim 23, line 2, delete [providing] and replace with --administering--.

In Claim 23, line 2, delete [an effective amount of] and in line 3, add --in an effective amount to reduce contact hypersensitivity in said animal-- after composition.

Claims 1-18 and 20-22 are cancelled.

In the specification, page 16, line 20, delete [(Table 4)]; in page 17, lines 1-2, delete [(Table 4, section 3.1 and 3.4)]; in page 17, line 5, delete [Table 4 section 3 also shows that the] and replace with --The--; in page 17, lines 11-12, delete [(Table 4, section 1, only results of 40  $\mu$ M are shown)]; in page 17, line 19, delete [(Table 4, section 3)]; in page 18, line 1, delete [(Table 4, section 4 versus 5)]; in page 18, line 3, delete [(Table 4, section 4-6)]; in page 18, line 5, delete [of Table 4]; in page 18, line 11, delete [of Table 4]; and in page 18, line 15, delete [(section 3)].

In the specification, page 23, line 21, add --A-D-- after Figure 3.

### CONCLUSION

2. Claims 23 and 24 are allowed.

Art Unit: 1614

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Brian Kwon whose telephone number is (571) 272-0581. The examiner can normally be reached Tuesday through Friday from 9:00 am to 7:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Christopher Low, can be reached on (571) 272-0951. The fax number for this Group is (571) 273-8300.

Any inquiry of a general nature of relating to the status of this application or proceeding should be directed to the Group receptionist whose telephone number is (571) 272-1600.

Brian Kwon  
Patent Examiner  
AU 1614



  
CHRISTOPHER S. F. LOW  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 1600